

VSH Shurjoint

M07 quick install coupling



save time save money

VSH Shurjoint M07 quick install coupling

The VSH Shurjoint M07 quick install coupling allows you to install faster and with less effort and costs. The M07 ensures uniform gasket support and stability with our patent-pending wedge design. The one-handed operation with 1-bolt design provides simple and quick installation.



installation, needing only standard insulation clearance.



quick install gasket with lifetime quality

the innovative gasket-design ensures quick and optimal placement during installation. The EPDM gasket ensures durable sealing at a wide temperature range of -34°C to 121°C.



easy mounting

the hold open clip keeps the M07 in an open configuration providing simple and quick installation.

quick install

with our 1-bolt design there is no need to adjust the hinge bolt prior to installation.

save time save money

advantages VSH Shurjoint M07 quick install coupling

- quick install design, no need to disassemble the coupling prior to installation
- up to 70% time saving, per coupling
- 1-bolt coupling design, only needs fastening on one side
- one-handed operation by application of a hinge and hold-open clip
- patent pending wedge design, applying uniform compression to the gasket
- draw bolt can be shortened for easy insulation
- \bullet the M07 is part of the VSH Shurjoint piping system, which in turn can easily be connected to VSH XPress or VSH PowerPress* piping systems



VSH Shurjoint Grooved fittings



VSH Shurjoint Valves



VSH Shurjoint Ring Joint



VSH Shurjoint Plain-End



more information?

For a complete and up-to-date product range and our additional services, visit: www.aalberts-ips.eu

Would you like to make an appointment to meet an account manager in your region or receive advice and support from one of our experts?

Please contact:

Aalberts integrated piping systems Customer Service +31 (0)35 68 84 330 salessupport.emea@aalberts-ips.com

